



NOTE:

- 1) ALL DIAMETERS TO BE MEASURED BY RING GAGE AND PLUG GAGE
- 2) LOW SPOTS MAY BE PRESENT
- 3) TUMBLE TO SMOOTH BURRS

UNLESS OTHERWISE SPECIFIED:  DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm$ ANGULAR: MACH $\pm$ BEND $\pm$ TWO PLACE DECIMAL $\pm$ THREE PLACE DECIMAL $\pm$	ORIGINAL BY	NAME	DATE	<a href="http://www.BeadElectronics.com">www.BeadElectronics.com</a>  TITLE:  <h1>M118-095A</h1> CONTACT PIN  SIZE <b>A</b> DWG. NO. REV <b>C</b>
	UPDATED BY	T.P.	6/22/10	
	ENG APPR.			
	MFG APPR.			
	Q.A.			
INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:			
MATERIAL CDA 260	REV.			
FINISH	A- TOL WAS $\pm .005$			
DO NOT SCALE DRAWING	B-UPDATED			
	C-NOTE ADDED ON .118 DIAMETER			
	SCALE: 1:1	WEIGHT:	SHEET 1 OF 1	



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEAD INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEAD INDUSTRIES IS PROHIBITED.